Finite Incidence Geometry in GAP

J. De Beule (John Bamberg, Anton Betten, Philippe Cara, Michel Lavrauw, Max Neunhoeffer)

Department of Mathematics Ghent University

Third GAP days Trondheim, September 2015

э

Incidence geometry

- Synthetic viewpoint: points, lines, circles, etc. are abstract objects;
- there is an incidence relation between these objects;
- satisfying axioms.
- Finite geometry: extra assumption that the number of objects is finite.

イロン 不得 とくほ とくほとう

Incidence geometry

- An automorphism of an incidence geometry is a type preserving map respecting the incidence relation.
- Interaction between groups and geometries is actually the birth of the field.
- Representing incidence geometries as group coset geometries is one possibility.
- Projective planes are coordinatised over an algebraic structure.
- Representing incidence geometries in an analytic way is another possibility.

イロト イポト イヨト イヨト

Incidence geometry

- An automorphism of an incidence geometry is a type preserving map respecting the incidence relation.
- Interaction between groups and geometries is actually the birth of the field.
- Representing incidence geometries as group coset geometries is one possibility.
- Projective planes are coordinatised over an algebraic structure.
- Representing incidence geometries in an analytic way is another possibility.

ヘロン 人間 とくほ とくほ とう

Philiosophy of doing incidence geometry in GAP

- We want the user to be able to explore geometries and their substructures
- Integrated with with existing (group theoretical) functions of GAP
- Ease of use has priority above super performance

- ⊒ →

Philiosophy of doing incidence geometry in GAP

- We want the user to be able to explore geometries and their substructures
- Integrated with with existing (group theoretical) functions of GAP
- Ease of use has priority above super performance

Philiosophy of doing incidence geometry in GAP

- We want the user to be able to explore geometries and their substructures
- Integrated with with existing (group theoretical) functions of GAP
- Ease of use has priority above super performance

- ⊒ →

FinInG history

- 1999: **pg**: predecessor of FinInG (JDB, Patrick Govaerts and Leo Storme).
- 2006: John Bamberg, Anton Betten, Philippe Cara, Michel Lavrauw, and Max Neunhoeffer join.

< ロ > < 同 > < 臣 > < 臣 > -

æ

Some examples (including collineation groups)

Projective spaces over finite fields.

• Finite classical polar spaces.

< 口 > < 同 > < 臣 > < 臣 >

Some examples (including collineation groups)

- Projective spaces over finite fields.
- Finite classical polar spaces.

< 口 > < 同 > < 臣 > < 臣 >

Semi-linear maps on vector spaces

- A collineation of a projective space is a semi-linear map of the underlying vector space
- These objects are implemented in fining, including there action on subspaces and nice monomorphisms.
- Functions based on orb and genss packages provide efficient ways of computing orbits and stabilizers directly.

Semi-linear maps on vector spaces

- A collineation of a projective space is a semi-linear map of the underlying vector space
- These objects are implemented in fining, including there action on subspaces and nice monomorphisms.
- Functions based on orb and genss packages provide efficient ways of computing orbits and stabilizers directly.

A group coset geometry

<ロト <回 > < 注 > < 注 > 、

æ

- Projective spaces, classical polar spaces, affine spaces, generalized polygons, coset geometries and diagrams.
- Algebraic varieties
- Integration of all the different parts: collineation groups and group actions, geometry morphisms, stabilizer groups of elements and sets of elements, efficient enumerators for elements, etc.
- manual of \pm 250 pages (including 288 examples), \pm 50 pages of additional technical documentation

ヘロト ヘ戸ト ヘヨト ヘヨト

- Projective spaces, classical polar spaces, affine spaces, generalized polygons, coset geometries and diagrams.
- Algebraic varieties
- Integration of all the different parts: collineation groups and group actions, geometry morphisms, stabilizer groups of elements and sets of elements, efficient enumerators for elements, etc.
- manual of \pm 250 pages (including 288 examples), \pm 50 pages of additional technical documentation

ヘロト ヘ戸ト ヘヨト ヘヨト

- Projective spaces, classical polar spaces, affine spaces, generalized polygons, coset geometries and diagrams.
- Algebraic varieties
- Integration of all the different parts: collineation groups and group actions, geometry morphisms, stabilizer groups of elements and sets of elements, efficient enumerators for elements, etc.
- manual of \pm 250 pages (including 288 examples), \pm 50 pages of additional technical documentation

くロト (過) (目) (日)

- Projective spaces, classical polar spaces, affine spaces, generalized polygons, coset geometries and diagrams.
- Algebraic varieties
- Integration of all the different parts: collineation groups and group actions, geometry morphisms, stabilizer groups of elements and sets of elements, efficient enumerators for elements, etc.
- manual of \pm 250 pages (including 288 examples), \pm 50 pages of additional technical documentation

ヘロト ヘアト ヘビト ヘビト

Dependencies

- forms (John Bamberg and JDB)
- grape (Leonard Soicher)
- orb (Juergen Mueller, Max Neunhoeffer, Felix Noeske, M. Horn)
- genss (Max Neunhoeffer, Felix Noeske, M. Horn)
- cvec (Max Neunhoeffer, M. Horn)

프 에 세 프 어

How to get

http://cage.ugent.be/fining

Jan De Beule FinInG